



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

* SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **GC11A**

· Article number: 3350100004A

· UFI:

HST0-50YD-D00D-2SFH

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Professional use only.

· Application of the substance / the mixture Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

· Supplier:

Alfa Laval Technologies AB

SE-221 00 Lund

Sweden

+46 46 36 65 00

info.se@alfalaval.com

· Further information obtainable from:

For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet

· 1.4 Emergency telephone number:

For immediate life-threatening emergencies, call 999. For health advice and information (24 h) dial 111 (NHS direct)

* SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

2,4,6-tris(dimethylaminomethyl)phenol

2-piperazin-1-ylethylamine

(Contd. on page 2)

— GB —



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 1)

2-Propenenitrile, polymer with 1,3-butadiene, 1-cyano-1-methyl-4-oxy-4-(1-piperazinyl)ethylaminobutyl-terminated

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P260 Do not breathe vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards Contains 1-piperazinethanamine. May produce an allergic reaction.

Results of PBT and vPvB assessment

PBT: The product is not, nor contains, a substance that is, PBT.

vPvB: The product is not, nor contains a substance that is, vPvB.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Components

CAS: 1332-58-7	Kaolin substance with a Community workplace exposure limit	15-40%
CAS: 68683-29-4	2-Propenenitrile, polymer with 1,3-butadiene, 1-cyano-1-methyl-4-oxy-4-(1-piperazinyl)ethylaminobutyl-terminated Skin Irrit. 2, H315; Skin Sens. 1A, H317	5-20%
CAS: 90-72-2 EINECS: 202-013-9 Reg.nr.: 01-2119560597-27	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	3-7%
CAS: 140-31-8 EINECS: 205-411-0	2-piperazin-1-ylethylamine Acute Tox. 3, H311; Repr. 2, H361d; STOT RE 1, H372; Skin Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	<1%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carc. 2, H351	<1%
CAS: 4246-51-9 EINECS: 224-207-2 Reg.nr.: 01-2119963377-26 05-2115221331-67	3,3'-oxybis(ethyleneoxy)bis(propylamine) Skin Corr. 1B, H314; Eye Dam. 1, H318; Skin Sens. 1, H317	15-40%

Components

CAS: 67762-90-7	Dimethyl siloxane, reaction product with silicon oxide	1-5%
-----------------	--	------

(Contd. on page 3)

— GB —



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 2)

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

* SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Wash contaminated clothing before reuse.

- **After inhalation:** Supply fresh air; consult doctor if symptoms persist.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If symptoms persist consult a doctor.

· After eye contact:

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Seek immediate medical advice.

· After swallowing:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Corrosion of the skin.

Allergic reactions

Corrosive effects. Can cause permanent eye damage.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Water

Foam

Carbon dioxide

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide

Nitrogen oxides (NO_x)

· 5.3 Advice for firefighters

- **Protective equipment:** Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB

(Contd. on page 4)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 3)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Do not breathe vapour.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to section 13.
Send for recovery or disposal in suitable receptacles.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Do not use the product until you have read and understood the safety instructions.
Eye wash bottle or emergency eye wash fountain must be found in the work place.
Ensure adequate ventilation
Do not breathe vapour.
When using do not eat, drink or smoke.
See Section 8 for information on personal protection equipment.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:** Keep away from heat and direct sunlight.
 - **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from oxidising agents.
 - **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)**
Adhesives
Professional use only.

* SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 1332-58-7 KaolinWEL Long-term value: 2 mg/m³**CAS: 13463-67-7 titanium dioxide**WEL Long-term value: 10* 4** mg/m³
*total inhalable **respirable

(Contd. on page 5)

GB



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 4)

· DNELs		
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Inhalative	DNEL - Acute, Systemic effects	0.31 mg/m3 (Worker)
CAS: 140-31-8 2-piperazin-1-ylethylamine		
Inhalative	DNEL - Long term, Systemic effects	3.6 mg/m3 (Worker)
· PNECs		
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
PNEC	0.084 mg/L (Freshwater)	
PNEC	0.2 mg/L (Water treatment plant)	
CAS: 140-31-8 2-piperazin-1-ylethylamine		
PNEC	0.058 mg/L (Freshwater)	

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** Use only in well-ventilated areas.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Ensure that washing facilities are available at the work place.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment.

Filter A/P2

· **Hand protection**



Protective gloves

· **Material of gloves**

polymer laminate

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles

(Contd. on page 6)

GB



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 5)

· **Body protection:**

Protective work clothing

· **Environmental exposure controls** Do not allow to enter sewers/ surface or ground water.

* SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**

· Physical state	Solid
· Colour:	Yellowish
· Odour:	Amine-like
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Not applicable. Undetermined.
· Lower and upper explosion limit	
· Lower:	Not applicable.
· Upper:	Not applicable.
· Flash point:	≥150 °C (Closed cup)
· Decomposition temperature:	Not determined.
· pH	Mixture is non-soluble (in water).
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not applicable.
· Solubility	
· water:	Slightly soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	1.25-1.35 g/cm ³
· Vapour density	Not determined.
· Particle characteristics	See section 3.

· **9.2 Other information**

· Appearance:	
· Form:	Paste
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Drip point:	
· Oxidising properties	Not applicable.
· Evaporation rate	Not determined.

(Contd. on page 7)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 6)

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

* SECTION 10: Stability and reactivity

· 10.1 Reactivity

This product can be reactive with certain compounds under some circumstances - please see headings in this section.

· 10.2 Chemical stability

Stable under normal temperature conditions and under recommended usage and storage.

· 10.3 Possibility of hazardous reactions

No dangerous reactions known.

· 10.4 Conditions to avoid

Avoid curing large quantities to prevent premature reaction (exothermic) with excessive heat and smoke.

· 10.5 Incompatible materials:

Strong acids

Strong oxidising agents

· 10.6 Hazardous decomposition products:

None known.

* SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

	ATE (calculated)	2,000-5,000 mg/kg (Dermal) >5,000 mg/kg (Oral)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Dermal	NOAEL	125 mg/kg (Rat) (28 d) target organ: skin, liver, nervous system

(Contd. on page 8)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 7)

CAS: 140-31-8 2-piperazin-1-ylethylamine

Oral	NOEAL	598 mg/kg (Rat) 28 d
------	-------	-------------------------

LD/LC50 values relevant for classification:**CAS: 68683-29-4 2-Propenenitrile, polymer with 1,3-butadiene,1-cyano-1-methyl-4-oxy-4-(1-piperazinyl)ethylaminobutyl-terminated**

Oral	LD50	>15,300 mg/kg (Rat)
Dermal	LD50	>3,000 mg/kg (rabbit)

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral	LD50	1,000 mg/kg (Rat)
Dermal	LD50	1,280 mg/kg (Rat)

CAS: 140-31-8 2-piperazin-1-ylethylamine

Oral	LD50	1,470 mg/kg (Rat)
Dermal	LD50	865 mg/kg (rabbit)

CAS: 13463-67-7 titanium dioxide

Oral	LD50	>10.000 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50 (4 h)	>6.82 mg/L (Rat)

CAS: 67762-90-7 Dimethyl siloxane, reaction product with silicon oxide

Oral	LD50	>5,110 mg/kg (Rat)
Inhalative	LC50 (4 h)	>0.691 mg/L (Rat)

CAS: 4246-51-9 3,3'-oxybis(ethyleneoxy)bis(propylamine)

Oral	LD50	3,160 mg/kg (Rat)
Dermal	LD50	2,500 mg/kg (rabbit)

Primary irritant effect:**Skin corrosion/irritation**

Causes burns.

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Irritation of skin	Skin Corrosion/Irritation	Corrosive
--------------------	---------------------------	-----------

CAS: 140-31-8 2-piperazin-1-ylethylamine

Irritation of skin	Skin Corrosion/Irritation	(rabbit) Corrosive
--------------------	---------------------------	-----------------------

CAS: 4246-51-9 3,3'-oxybis(ethyleneoxy)bis(propylamine)

Irritation of skin	Skin Corrosion/Irritation	/Corrosive (rabbit)
--------------------	---------------------------	---------------------

Serious eye damage/irritation

Causes burns.

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Irritation of eyes	Serious Eye Damage/Irritation	Corrosive
--------------------	-------------------------------	-----------

CAS: 140-31-8 2-piperazin-1-ylethylamine

Irritation of eyes	Serious Eye Damage/Irritation	(rabbit) Corrosive
--------------------	-------------------------------	-----------------------

(Contd. on page 9)

GB



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 8)

- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.

CAS: 140-31-8 2-piperazin-1-ylethylamine

Sensitisation	Respiratory or skin sensitization	(Guinea pig) Sensitising
---------------	-----------------------------------	-----------------------------

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
 - **Acute effects (acute toxicity, irritation and corrosivity)**
May cause damage to the digestive system if swallowed.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties**
The substance/mixture does not contain components considered to have endocrine disrupting properties under Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

None of the ingredients is listed.

* SECTION 12: Ecological information

12.1 Toxicity**Aquatic toxicity:****CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol**

LC50 (96 h)	718 mg/L (Daphnia) 175 mg/L (fish)
EC50 (72 h)	84 mg/L (algae)
NOEC - No observed effect concentration	6.25 mg/l (algae) 72 h

CAS: 140-31-8 2-piperazin-1-ylethylamine

LC50 (96 h)	368 mg/L (fish)
EC50 (48 h)	58 mg/L (Daphnia)
EC50 (72 h)	>1,000 mg/L (algae)
NOEC - No observed effect concentration	31 mg/l (algae) 72 h

CAS: 4246-51-9 3,3'-oxybis(ethyleneoxy)bis(propylamine)

LC50 (96 h)	>1,000 mg/L (fish) (Experimental)
EC50 (48 h)	218 mg/L (Daphnia) (Experimental)
EC50 (72 h)	>500 mg/L (algae) (Experimental)

12.2 Persistence and degradability**CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol**

Biodegradability	4 % (OECD 301D)
------------------	-----------------

(Contd. on page 10)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 9)

CAS: 140-31-8 2-piperazin-1-ylethylamine	
Biodegradability	0 % (OECD 301C) 28 d
CAS: 4246-51-9 3,3'-oxybis(ethyleneoxy)bis(propylamine)	
Biodegradability	8 % /25 d, CO ₂ evo (OECD 301B (CO ₂))
12.3 Bioaccumulative potential	
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	
log Pow	0.66
CAS: 140-31-8 2-piperazin-1-ylethylamine	
log Pow	0.3
CAS: 4246-51-9 3,3'-oxybis(ethyleneoxy)bis(propylamine)	
log Pow	1.25

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** The product is not, nor contains, a substance that is, PBT.

· **vPvB:** The product is not, nor contains a substance that is, vPvB.

· **12.6 Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties under Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

· **12.7 Other adverse effects** No further relevant information available.

* SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** Dispose of waste in an approved waste disposal facility.

· **yes European waste catalogue**

EWC waste codes are not product-related but origin-related. Therefore, the manufacturer cannot specify a waste code for products used in different industries. The codes that may be given should be considered as a recommendation for the user.

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 27*	paint, inks, adhesives and resins containing hazardous substances

· **Uncleaned packaging:**

· **Recommendation:**

Disposal must be made according to official regulations.

(Contd. on page 11)

— GB —



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)



Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 10)

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

* SECTION 14: Transport information

· 14.1 UN number or ID number	
· ADR/RID/ADN, IMDG, IATA	UN3259
· 14.2 UN proper shipping name	
· ADR/RID/ADN	3259 AMINES, SOLID, CORROSIVE, N.O.S. (3,3'-oxybis(ethyleneoxy)bis(propylamine), N-AMINOETHYLPIPERAZINE)
· IMDG, IATA	AMINES, SOLID, CORROSIVE, N.O.S. (3,3'-oxybis(ethyleneoxy)bis(propylamine), N-AMINOETHYLPIPERAZINE)
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
	
· Class	8 Corrosive substances.
· IMDG, IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR/RID/ADN, IMDG, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· EMS Number:	F-A,S-B
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

(Contd. on page 12)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 11)

· Tunnel restriction code	DE
· IMDG	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (3,3'-OXYBIS(ETHYLENEOXY)BIS(PROPYLAMINE), N-AMINOETHYLPIPERAZINE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) no.1907/2006 (UK REACH)

EU regulation (EC) no 1272/2008 (GB CLP)

EC DIRECTIVE 2008/98/EC (waste)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information

(Contd. on page 13)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 12)

provided in this document and the product to which the information refers.
Please contact your local Alfa Laval Sales Company for further questions.

Relevant phrases

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H351 Suspected of causing cancer.
- H361d Suspected of damaging the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations**Contact:**

Please contact your local Alfa Laval Sales Company for further questions.

Argentina: alfa.consulta@alfalaval.com

Australia: australia.info@alfalaval.com

Austria: info.mideurope@alfalaval.com

Belgium: benelux.info@alfalaval.com

Bolivia: alfa.consulta@alfalaval.com

Brazil: alfalaval.br@alfalaval.com

Bulgaria: bulgaria.info@alfalaval.com

Canada: alfacan.info@alfalaval.com

Chile: chile.informacion@alfalaval.com

China: china.info@alfalaval.com

Colombia: info.colombia@alfalaval.com

Croatia: hrvatska.info@alfalaval.com

Czech Republic: czechrepublic.info@alfalaval.com

Denmark: info.nordic.dk@alfalaval.com

Egypt: alme.marketing@alfalaval.com

Estonia: estonia.info@alfalaval.com

Finland: info.fi@alfalaval.com

France: environnement@alfalaval.com

Germany: info.mideurope@alfalaval.com

Greece: greece.info@alfalaval.com

Hungary: info.hu@alfalaval.com

India: india.info@alfalaval.com

Indonesia: alfalindo@alfalaval.com

Israel: israel.info@alfalaval.com

Italy: alfalaval.italia@alfalaval.com

Japan: hp.alfajp@alfalaval.com

Latvia: latvia.info@alfalaval.com

Lithuania: lithuania.info@alfalaval.com

Malaysia: malaysia.info@alfalaval.com

Mexico: mexico.info@alfalaval.com

The Netherlands: benelux.info@alfalaval.com

New Zealand: newzealand.info@alfalaval.com

Norway: info.no@alfalaval.com

Peru: ventas.peru@alfalaval.com

Philippines: philippines.info@alfalaval.com

Poland: poland.info@alfalaval.com

(Contd. on page 14)



Safety data sheet according to UK REACH

Printing date 30.06.2025

Version number 13 (replaces version 3)

Revision: 30.06.2025

Trade name: GC11A

(Contd. of page 13)

Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com
South Africa: info.sa@alfalaval.com
Spain: info.spain@alfalaval.com
Sweden: info.se@alfalaval.com
Switzerland: info.mideurope@alfalaval.com
Taiwan: taiwan.info@alfalaval.com
Thailand: thailand.info@alfalaval.com
Turkey: turkey@alfalaval.com
Ukraine: ukraine.info@alfalaval.com
United Arab Emirates: alme.marketing@alfalaval.com
United Kingdom: general.uk@alfalaval.com
United States: customerservice.usa@alfalaval.com
Venezuela: venezuela.info@alfalaval.com
Vietnam: vietnam.info@alfalaval.com

· **Date of previous version:** 16.04.2020

· **Version number of previous version:** 3

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**